

COMPLETE RUBBER Pty. Ltd.

Hardware

COMPLETE RUBBER Pty. Ltd.

CHAIR TIPS



Shape: Round

Part No.	Mm	Inch	Colour
CT0	5	$\frac{3}{16}$	Black
CT09-2	5	$\frac{3}{16}$	White
CT00	6	$\frac{1}{4}$	Black
CT09-3	6	$\frac{1}{4}$	White
CT01	10	$\frac{3}{8}$	Black
CT10	10	$\frac{3}{8}$	White
CT02	12	$\frac{1}{2}$	Black
CT11	12	$\frac{1}{2}$	White
CT03	16	$\frac{5}{8}$	Black
CT12	16	$\frac{5}{8}$	White
CT04	19	$\frac{3}{4}$	Black
CT13	19	$\frac{3}{4}$	White
CT05	22	$\frac{7}{8}$	Black
CT14	22	$\frac{7}{8}$	White
CT06	25	1	Black
CT15	25	1	White
CT07	28	$1\frac{1}{8}$	Black
CT16	28	$1\frac{1}{8}$	White
CT08	32	$1\frac{1}{4}$	Black
CT17	32	$1\frac{1}{4}$	White
CT09	38	$1\frac{1}{2}$	Black
CT18	38	$1\frac{1}{2}$	White
CT09-1	42	$1\frac{5}{8}$	Black
CT18-1	42	$1\frac{5}{8}$	White

COMPLETE RUBBER Pty. Ltd.

GROMMETS



Round Edged
(With/Without Centre Hole)



Centre Flange
(With/Without Centre Hole)



Rounded Edged



Cotton Reel



Square Edged



Offset



Triangle
(With/Without Centre Hole)



Bush
Headed Plug
(With/Without Centre Hole)



Buffer
(With/Without Centre Hole)



Plug



Cord/Loom
(With/Without Centre Hole)




Rectangular/Oval/Square
(With/Without Centre Hole)


COMPLETE RUBBER Pty. Ltd.

HEAVY DUTY BUFFERS


These heavy duty moulded buffers are suitable for attachment to truck and heavy vehicle bumper bars and for industrial applications where heavy duty; non cyclic buffing is required, i.e. steel fire doors



D000



D001





D002

Part No.	A	B	C	D	E	F	G
D000	150 mm	90 mm	145 mm	76 mm	75 mm	13.5 mm	40 mm
D001	155 mm	75 mm	150 mm	65 mm	50 mm	14 mm	36 mm
D002	195 mm	55 mm	185 mm	50 mm	120 mm	11 mm	32 mm

This heavy-duty buffer is particularly suited for medium weight truck bumper bars and various industrial applications where non-cyclic buffing is experienced.





D003



COMPLETE RUBBER Pty. Ltd.

MOULDED MOUNTING FOOT

Part No: D003-1



Moulded in solid, high quality rubber this part is suitable for attaching to machinery mounting legs to reduce vibration and noise.

COMPLETE RUBBER Pty. Ltd.

RUBBER TIE DOWN STRAPS

QUICK GRIP HOOKS



Highly stretchable rubber mixed with EPDM

REINFORCED ENDS
To ensure hooks do not pull out.

*** WARNING** Do not extend rubber tie down strips beyond their recommended maximum stretch limits.

PART No.	LENGTH	RECOMMENDED MAX. STRETCH LENGTH
E000	254 mm	330 mm
E001	381 mm	481 mm
E002	533 mm	750 mm
E003	787 mm	1000 mm